




4-POLE INTURNNER BL MOTOR

Price	68.00 €
-------	---------


Specifications	Weigt (g)	RPM/V [Kv]	Idle Current	Resistance [Ri]	Max Voltage	Max Amps	Max Power(W)
TS-CZ1520 *5	110	7800	9.00	3.50	10.00	120.00	650
TS-CZ1520 *6	110	6500	7.00	4.70	12.00	110.00	650
TS-CZ1520 *7	110	5570	5.50	6.50	14.00	100.00	650
TS-CZ1520 *8	110	4845	4.00	8.00	16.00	85.00	650
TS-CZ1520 *9	110	4340	3.50	9.7	18.00	70.00	650
TS-CZ1520 *10	110	3880	3.00	12.00	20.00	65.00	650
TS-CZ1520 *11	110	3545	2.50	14.00	22.00	60.00	650
TS-CZ1520 *12	110	3230	2.50	17.00	25.00	55.00	650
TS-CZ1520 *13	110	3000	2.10	19.20	27.00	50.00	650
TS-CZ1520 *14	110	2770	2.00	23.00	28.00	45.00	650
TS-CZ1520 *15	110	2600	1.80	26.50	30.00	45.00	650
TS-CZ1520 *16	110	2420	2.00	28.00	32.00	40.00	650
TS-CZ1520 *17	110	2290	1.50	33.20	35.00	38.00	650
TS-CZ1520 *18	110	2160	1.30	35.00	37.00	35.00	650
TS-CZ1520 *19	110	2050	1.20	42.00	40.00	32.00	650
TS-CZ1520 *20	110	1950	1.10	44.30	42.00	30.00	650



4-POLE INTURNER BL MOTOR

Price	88.00 €
--------------	----------------


Specifications	Weigt (g)	RPM/V [Kv]	Idle Current	Resistance [Ri]	Max Voltage	Max Amps	Max Power(W)
TS-CZ1530*5	140	5600	8.00	0.0035	13	120	1000
TS-CZ1530*6	140	4700	5.50	0.005	15	110	1000
TS-CZ1530*7	140	4000	4.00	0.0072	18	100	1000
TS-CZ1530*8	140	3500	3.50	0.0088	21	85	1000
TS-CZ1530*9	140	3150	3.00	0.0113	23	70	1000
TS-CZ1530*10	140	2820	2.50	0.014	23	65	1000
TS-CZ1530*11	140	2560	2.50	0.0165	28	60	1000
TS-CZ1530*12	140	2350	2.00	0.0198	31	55	1000
TS-CZ1530*13	140	2170	2.00	0.0235	34	50	1000
TS-CZ1530*14	140	2000	2.00	0.0255	36	45	1000
TS-CZ1530*15	140	1880	2.00	0.029	39	45	1000



4-POLE INTURNNER BL MOTOR

Price	108.00 €
--------------	-----------------

Specifications	Weigt (g)	RPM/V [Kv]	Idle Current [mA]	Resistance [Ri]	Max Voltage	Max Amps	Max Power(W)
TS-CZ1540 *5	191	3920	7.50	6.00	18	120	1200
TS-CZ1540 *6	191	3270	5.50	8.00	21	110	1200
TS-CZ1540 *7	191	2800	4.00	10.50	24	100	1200
TS-CZ1540 *8	191	2450	3.50	13.40	28	85	1200
TS-CZ1540 *9	191	2180	3.20	16.50	32	70	1200
TS-CZ1540 *10	191	1960	3.00	20.50	35	65	1200
TS-CZ1540 *11	191	1780	2.80	24.00	38	60	1200
TS-CZ1540 *12	191	1640	2.50	28.00	42	55	1200
TS-CZ1540 *13	191	1510	2.30	32.50	45	50	1200
TS-CZ1540 *14	191	1400	2.10	38.20	50	45	1200
TS-CZ1540 *15	191	1310	2.00	45.00	55	45	1200
TS-CZ1540 *16	191	1225	1.90	48.00	60	40	1200
TS-CZ1540 *17	191	1155	1.80	56.00	60	38	1200
TS-CZ1540 *18	191	1090	1.70	59.00	65	35	1200
TS-CZ1540 *19	191	1035	1.60	70.00	65	32	1200
TS-CZ1540 *20	191	980	1.50	74.00	70	30	1200
TS-CZ1540 *21	191	935	1.40	78.00	70	28	1200
TS-CZ1540 *22	191	890	1.30	90.00	75	28	1200




TS-CZ1540
 D: 29mm L: 58.2mm
 d: 4mm/3.17mm



6-POLE INTURNNER BL MOTOR

Price	118.00 €
--------------	-----------------


Specifications	Weigt (g)	RPM/V [Kv]	Idle Current	Resistance [Ri]	Max Voltage	Max Amps	Max Power(W)
TS-CZ2220 *5	170	5980	9.00	3.00	9	140	1000
TS-CZ2220 *6	170	4830	7.00	4.00	12	120	1000
TS-CZ2220 *7	170	4270	5.50	5.40	13	100	1000
TS-CZ2220 *8	170	3735	4.50	6.80	15	88	1000
TS-CZ2220 *9	170	3320	4.00	8.10	17	80	1000
TS-CZ2220 *10	170	2990	3.50	9.80	19	72	1000
TS-CZ2220 *11	170	2725	3.00	12.00	21	64	1000
TS-CZ2220 *12	170	2490	2.80	13.60	23	60	1000
TS-CZ2220 *13	170	2300	2.50	16.70	25	52	1000
TS-CZ2220 *14	170	2135	2.20	19.30	27	48	1000
TS-CZ2220 *15	170	1990	2.00	20.70	28	46	1000
TS-CZ2220 *16	170	1870	1.80	23.60	30	44	1000
TS-CZ2220 *17	170	1760	1.60	27.40	32	41	1000
TS-CZ2220 *18	170	1660	1.50	28.60	34	38	1000
TS-CZ2220 *19	170	1570	1.40	33.40	36	36	1000
TS-CZ2220 *20	170	1495	1.30	39.80	38	34	1000
TS-CZ2220 *21	170	1420	1.20	41.00	40	32	1000
TS-CZ2220 *22	170	1360	1.10	42.80	42	30	1000



6-POLE INTURNNER BL MOTOR

Price 128.00 €

Specifications	Weigt (g)	RPM/V [Kv]	Idle Current	Resistance [Ri]	Max Voltage	Max Amps	Max Power(W)
TS-CZ2230 *5	200	4320	7.00	0.0039	15	140	1750
TS-CZ2230*6	200	3600	5.00	0.0052	19	120	1750
TS-CZ2230*7	200	3090	4.00	0,0070	22	100	1750
TS-CZ2230*8	200	2620	3.50	0.0091	25	88	1750
TS-CZ2230*9	200	2400	2.50	0.0119	28	80	1750
TS-CZ2230*10	200	2160	2.50	0.0143	31	72	1750
TS-CZ2230*11	200	1960	2.00	0.0173	34	64	1750
TS-CZ2230*12	200	1800	2.00	0.0199	36	60	1750
TS-CZ2230*13	200	1660	2.00	0.0241	38	52	1750
TS-CZ2230*14	200	1510	1.50	0.0276	40	48	1750
TS-CZ2230*15	200	1450	1.50	0.0315	42	46	1750
TS-CZ2230*16	200	1350	1.50	0.036	45	44	1750
TS-CZ2230*17	200	1270	1.00	0.0412	48	40	1750
TS-CZ2230*18	200	1200	1.00	0.0472	50	38	1750



6-POLE INTURNER BL MOTOR

Price	148.00 €
--------------	-----------------

Specifications	Weigt (g)	RPM/V [Kv]	Idle Current	Resistance [Ri]	Max Voltage	Max Amps	Max Power(W)
TS-CZ2240 *5	340	3240	7.00	4.20	17.50	140	2200
TS-CZ2240 *6	340	2700	5.00	5.80	21.00	120	2200
TS-CZ2240 *7	340	2315	4.00	7.80	24.50	100	2200
TS-CZ2240 *8	340	2025	3.20	9.90	28.00	88	2200
TS-CZ2240 *9	340	1800	2.80	12.00	31.50	80	2200
TS-CZ2240 *10	340	1620	2.50	14.50	35.00	72	2200
TS-CZ2240 *11	340	1470	2.20	17.90	38.50	64	2200
TS-CZ2240 *12	340	1350	2.00	20.70	42.00	60	2200
TS-CZ2240 *13	340	1245	1.90	25.50	45.50	52	2200
TS-CZ2240 *14	340	1155	1.80	29.50	49.00	48	2200
TS-CZ2240 *15	340	1080	1.70	31.80	52.50	46	2200
TS-CZ2240 *16	340	1015	1.60	36.00	56.00	44	2200
TS-CZ2240 *17	340	955	1.50	42.00	60.00	40	2200
TS-CZ2240 *18	340	900	1.40	44.00	63.00	38	2200
TS-CZ2240 *19	340	855	1.30	52.00	67.00	36	2200
TS-CZ2240 *20	340	810	1.20	54.00	70.00	34	2200
TS-CZ2240 *21	340	770	1.10	64.00	74.00	32	2200
TS-CZ2240 *22	340	735	1.00	67.00	77.00	30	2200

